

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: **10/509,185**

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Wednesday

Date: 7/5/2006

Time: 11:13:22

**PALM INTRANET**

Inventor Information for 10/509185

Inventor Name	City	State/Country
<u>UCHINO, MASASHI</u>	SAITAMA	JAPAN
<u>NAKANO, MASARU</u>	SAITAMA	JAPAN
<u>YAMADA, EIJI</u>	SAITAMA	JAPAN
<u>YOSHIDA, HIROYUKI</u>	SAITAMA	JAPAN
<u>OKADA, HIROAKI</u>	SAITAMA	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

1	US 7059941 B2	20060613	Polishing composition	451/41	252/79.1; 438/690	Yoshida; Hiroyuki et al.
1	US 7052304 B2	20060530	Connector capable of preventing damages to electrically conductive terminal	439/362	439/141	Yoshida; Hiroyuki
1	US 7038195 B2	20060502	Photoelectric device	250/239	257/98	Kida; Shinobu et al.
1	US 7034850 B2	20060425	Displaying method, displaying apparatus, filtering unit, filtering process method, recording medium for storing filtering process programs, and method for processing images	345/640	345/600; 345/636; 348/590	Tezuka; Tadanori et al. □
1	US 7032701 B2	20060425	Vehicle power source supporting structure	180/291	180/299; 180/312	Yoshida; Hiroyuki et al.
1	US 7029346 B2	20060418	Vertical engine and outboard engine system	440/88L	123/196W; 440/88C	Yoshida; Hiroyuki et al.
1	US 7015447 B2	20060321	Illuminance calibrating method of illuminator, illuminance calibration controller of illuminator, illuminance calibrating program of illuminator, recording medium storing the program and measuring tool	250/205	315/151; 315/158	Yoshida; Hiroyuki et al.
1	US 7006109 B2	20060228	Display equipment, display method, and storage medium storing a display control program using sub-pixels	345/613	345/589; 345/597; 345/629; 345/660	Toji; Bunpei et al.
1	US 6997276 B2	20060214	Subframe mount structure	180/232	180/312; 280/124.109; 280/784;	Yoshida; Hiroyuki et al.

					280/788	
1	US 6996764 B2	20060207	Coding method, recording medium, decoding method, and recording-medium reproducing apparatus	714/755	714/769; 714/780; 714/792	Yamada; Eiji
1	US 6978222 B2	20051220	Method of determining level of effect of system entity on system performance, by use of active time of same entity	702/182	700/108; 700/99; 702/186; 703/2	Roser; Christoph Hermann et al.
1	US 6976893 B2	20051220	Water-cooled vertical engine and outboard motor equipped therewith	440/88C		Tawa; Hiroki et al.
1	US 6974939 B1	20051213	Optical recording/reproducing apparatus for multi- layer recording media that alleviates adverse effect of spherical aberration beyond compensation by changing the numerical aperture of combined lenses	250/201.5	369/112.24	Yamada; Eiji
1	US 6973906 B2	20051213	Internal combustion engine provided with decompressing mechanism and method of adjusting valve lift for decompression	123/182.1	29/888.01	Yoshida; Hiroyuki et al.
1	US 6973639 B2	20051206	Automatic program generation technology using data structure resolution unit	717/106	715/809; 715/810; 715/967; 717/109; 717/113	Hashimoto; Keiji et al.
1	US 6962047 B2	20051108	Engine intake A/F ratio control system in outboard engine system	60/300	123/580; 123/585; 123/59.5; 123/699; 440/76; 60/289;	Yoshida; Hiroyuki et al.

					60/292; 60/293; 60/302	
1	US RE38790 E	20050906	Power output apparatus, method of controlling power output apparatus, and driving system with power output apparatus incorporated therein	290/40C	180/65.2; 318/140; 322/16	Maeda; Tomoharu et al.
1	US 6928257 B2	20050809	Image forming and recording apparatus with three pressure members	399/329		Ogiso; Toshio et al.
1	US 6914730 B2	20050705	Optical recording/reproducing apparatus	359/719	369/44.32	Nakano; Ikuro et al.
1	US 6882599 B2	20050419	Optical pickup device, aberration correcting method and aberration detecting unit therefor	369/44.23	369/112.12; 369/44.32; 369/44.41; 369/53.28	Yamada; Eiji
1	US 6873001 B1	20050329	Reduced size plate layer improves misalignments for CUB DRAM	257/306	257/296	Nagata; Toshiyuki et al.
1	US 6857408 B2	20050222	Internal combustion engine provided with decompressing mechanism	123/182.1		Yoshida; Hiroyuki et al.
1	US 6852065 B2	20050208	Lock mechanism, shift lever device, and shift lock unit	477/99	74/473.25	Yamada; Eiji et al.
1	US 6851257 B1	20050208	Exhaust gas passage structure of outboard engine	60/299	440/88R; 440/89R; 60/302	Yoshida; Hiroyuki et al.
1	US 6839736 B1	20050104	Multi-media E-mail system and device for transmitting a composed return E-mail	709/206	707/10; 709/238; 717/108	Kajita; Satoshi et al.
1	US 6836271 B2	20041228	Boldfaced character-displaying method and display equipment employing	345/472.2	345/25; 345/613; 382/301	Tezuka; Tadanori et al.

			the boldfaced character-displaying method			
1	US 6830989 B1	20041214	Method and apparatus for handling arrayed part	438/460	438/462; 438/464	Shida; Satoshi et al.
1	US 6817331 B2	20041116	Internal combustion engine provided with decompressing mechanisms	123/182.1		Takada; Hideaki et al.
1	US 6815730 B2	20041109	Nitride-based semiconductor light-emitting device	257/101	257/102; 257/103; 257/79; 257/85; 257/94; 257/E21.108; 257/E21.125; 257/E21.152; 438/231; 438/87	Yamada; Eiji
1	US 6797563 B2	20040928	Method of forming cross point type DRAM cell	438/257	257/E21.649; 257/E21.655; 257/E21.657; 257/E27.091; 257/E29.346; 438/593	Miyai; Yoichi et al.
1	US 6781333 B2	20040824	Drive control apparatus and method of alternating current motor	318/432	318/433; 318/434; 318/802; 318/809; 318/812	Koide; Satoshi et al.
1	US 6760564 B2	20040706	Picture image forming apparatus with intermediate transfer belt trained around two rollers of different diameter	399/302	399/121	Oohara; Shunichi et al.
1	US 6756992 B2	20040629	Display equipment, display method, and storage medium storing a display control program using sub-pixels	345/613	345/614; 345/660; 382/256; 382/257	Toji; Bunpei et al.
1	US 6755173 B1	20040629	Vertical engine	123/196W		Yoshida; Hiroyuki et al.

1	US 6730896 B1	20040504	Optical pickup device	250/201.5	250/216; 359/717; 369/112.01	Yamada; Eiji
1	US 6728179 B1	20040427	Apparatus and method for optical recording/reproducing information including electrical spherical-aberration correction mechanism having low power consumption	369/53.1	369/112.24	Nakano; Ikuro et al.
1	US 6725649 B2	20040427	Control apparatus for a direct-injection, spark-ignition engine	60/284	123/295; 123/430; 123/431; 60/285; 60/286; 60/295	Yamashita; Hiroyuki et al.
1	US 6724022 B1	20040420	Solid-state imaging device	257/233	257/232; 257/240; 257/E27.152	Yoshida; Hiroyuki
1	US 6705392 B2	20040316	Heat exchanger	165/140	165/166	Gotou; Takaharu et al.
1	US 6697586 B2	20040224	Photoconductor unit and image forming system	399/110	347/152; 399/116; 399/119	Yamamoto; Masashi et al.
1	US 6684848 B2	20040203	Direct-injection spark-ignition engine	123/295	123/301; 123/305	Saito; Fumihiko et al.
1	US 6684843 B1	20040203	Engine	123/185.2	123/185.3; 123/195C	Yoshida; Hiroyuki et al.
1	US 6679078 B2	20040120	Variable displacement compressors and methods for controlling the same	62/228.3	417/222.2; 62/229	Yoshida; Hiroyuki et al.
1	US 6638179 B2	20031028	Golf club	473/324	473/349	Yoshida; Hiroyuki
1	US 6616746 B2	20030909	Titanium dioxide pigment and method for production thereof	106/436	106/426; 106/428; 106/430; 106/431; 106/443;	Takahashi; Hideo et al.

					106/447	
1	US 6602100 B2	20030805	Passage wall cooling structure in outboard engine system	440/88C		Tawa; Hiroki et al.
1	US 6599856 B1	20030729	Formed activated carbon and process for producing the same	502/180	423/282; 423/299; 423/447.5; 423/460; 502/182; 502/183; 502/202; 502/208; 502/417; 502/423; 502/425; 502/427	Uchino; Masashi et al.
1	US 6577341 B1	20030610	Imaging apparatus	348/272	348/218.1; 348/219.1	Yamada; Eiji et al.
1	US 6566837 B1	20030520	Position controller for motor	318/610	318/611; 318/621; 318/632	Zhang; Wennong et al.
1	US 6563155 B2	20030513	Cross point type DRAM cell composed of a pillar having an active region	257/296	257/297; 257/298; 257/299; 257/300; 257/301; 257/302; 257/304; 257/308; 257/311; 257/E21.649; 257/E21.655; 257/E21.657; 257/E27.091; 257/E29.346	Miyai; Yoichi et al.
1	US 6551072 B2	20030422	Variable displacement compressors	417/222.2	417/270; 417/313	Ota; Masaki et al.
1	US 6519544 B1	20030211	Method and apparatus for IEEE 1394 bus analysis	702/117	702/122; 702/186; 709/200; 709/212; 709/220; 710/105; 710/15;	Deguchi; Tomohiro et al.

					710/43; 710/52; 712/200; 712/220; 712/223	
1	US 6515446 B1	20030204	Motor control apparatus and control method	318/700	318/720	Koide; Satoshi et al.
1	US 6508071 B2	20030121	Air conditioner and displacement control valve for variable displacement compressor	62/228.3	417/222.2; 73/861.53	Ota; Masaki et al.
1	US 6505695 B2	20030114	Electric vehicle	180/65.5	180/321	Oshima; Hiroyasu et al.
1	US 6503301 B2	20030107	Fuel vapor treatment canister	96/132	123/519; 96/135; 96/144	Uchino; Masashi et al.
1	US 6502666 B2	20030107	Engine lubrication system	184/6.28	123/196W; 184/27.1; 440/88L	Takada; Hideaki et al.
1	US 6501925 B2	20021231	Photoconductor unit and image forming system	399/116	347/115; 347/152; 399/110	Yamamoto; Masashi et al.
1	US 6494253 B2	20021217	Heat exchanger	165/115	165/166; 165/174	Gotou; Takaharu et al.
1	US 6481389 B2	20021119	Piston oil-cooling device in an engine	123/41.35	123/196R	Suzuki; Nobuo et al.
1	US 6475525 B1	20021105	Oral preparations containing forskolin derivatives and process for producing pharmaceutical preparations	424/489	424/400; 424/439; 424/451; 424/464; 424/490	Komuro; Chikara et al.
1	US 6466897 B1	20021015	Computer user aiding system, computer user aiding method and storage medium storing program therefor	702/186	706/11; 715/707; 719/318	Yoshida; Hiroyuki
1	US 6460330 B1	20021008	Engine intake A/F ratio control system in outboard engine	60/300	123/580; 123/585; 123/59.5;	Yoshida; Hiroyuki et al.

			system		123/699; 440/76; 60/289; 60/292; 60/302	
1	US 6456324 B1	20020924	Image shifting image pickup apparatus using filter for removing spatial frequency component	348/219.1	348/246; 382/264	Yamada; Eiji et al.
1	US 6455099 B1	20020924	Method and device for applying sealant to IC having bumps	427/96.2	118/323; 257/E21.502; 257/E21.508; 427/287; 427/97.4; 427/98.4; 427/99.2	Enchi; Kouhei et al.
1	US 6431841 B1	20020813	Compressor with a part of a spring chamber in a rear housing	417/269	91/504; 92/153; 92/154; 92/71	Tarutani; Tomoji et al.
1	US 6428373 B2	20020806	Ventilation cover structure for outboard engine provided with four-stroke cycle engine	440/77		Ikuma; Tomonori et al.
1	US 6400923 B1	20020604	Fixing device improved in offset-prevention	399/333	219/216	Fukuda; Hiromitsu et al.
1	US D457999 S	20020528	Electric cart	D34/28	D34/17	Oshima; Hiroyasu et al.
1	US 6390224 B1	20020521	Front sub-frame structure	180/312	180/311; 180/902; 280/781; 280/784	Yoshida; Hiroyuki
1	US 6385640 B1	20020507	Switching apparatus applied to a plurality of information processing systems which are closed systems	709/201	709/204	Yamamoto; Rieko et al.
1	US 6381428 B1	20020430	Photoconductor unit and image forming system	399/116	347/115; 347/152; 399/110	Yamamoto; Masashi et al.
1	US	20020430	Semiconductor	365/63	257/E21.656;	Yoshida;

	6381166 B1		memory device having variable pitch array		257/E27.097; 365/51	Hiroyuki et al.
1	US 6358108 B2	20020319	Outboard motor	440/88R	440/89R	Murata; Hiroyuki et al.
1	US 6347269 B1	20020212	Vehicle mass calculation device	701/51	701/70; 702/175	Hayakawa; Kisaburo et al.
1	US 6340847 B1	20020122	Power output apparatus and method of controlling the same	290/40C	290/17; 290/21; 903/903; 903/906; 903/910; 903/914; 903/924; 903/940; 903/941; 903/942; 903/945; 903/946; 903/951	Kawabata; Yasutomo et al.
1	US 6340322 B1	20020122	Structure of mounting of exhaust gas sampling pipe in outboard engine system	440/89R		Yoshida; Hiroyuki et al.
1	US 6338053 B1	20020108	Inventory managing method for automatic inventory retrieval and apparatus thereof	707/1	705/22; 705/28; 705/29	Uehara; Tadahiro et al.
1	US 6327447 B1	20011204	Electrophotographic apparatus having heat exhaustion device	399/92	399/94	Nakano; Masaru et al.
1	US 6298936 B1	20011009	Shock absorbing stopper	180/232	267/140.11	Yoshida; Hiroyuki
1	US 6268234 B1	20010731	Solid state imaging device	438/60	257/E27.152; 257/E27.156; 438/57; 438/59; 438/73; 438/75	Yoshida; Hiroyuki
1	US 6188196 B1	20010213	Electrical angle detecting apparatus and method, and	318/700	318/432; 318/434; 318/439;	Koide; Satoshi et al.

			motor control apparatus		318/720; 318/721	
1	US 6166941 A	20001226	Relaxed layout for storage nodes for dynamic random access memories	365/63	257/E27.086; 365/51	Yoshida; Hiroyuki et al.
1	US RE36963 E	20001121	Method and apparatus for regenerating image holding member	430/97	399/343; 430/125	Ando; Kazuhiro et al.
1	US 6108036 A	20000822	Imaging apparatus having a spatial filter and image shifting mechanism controller based on an image mode	348/219.1	348/220.1; 348/342	Harada; Toshiaki et al.
1	US 6097492 A	20000801	Wafer detection apparatus	356/614	250/548	Kondo; Hisami et al.
1	US 6087734 A	20000711	Power output apparatus, method of controlling power output apparatus, and driving system with power output apparatus incorporated therein	290/40C	180/65.2; 318/140; 322/16; 903/903; 903/910; 903/916; 903/921; 903/923; 903/924; 903/940; 903/941; 903/942; 903/951	Maeda; Tomoharu et al.
1	US 6078680 A	20000620	Method, apparatus, and storage medium for detection of nodules in biological tissue using wavelet snakes to characterize features in radiographic images	382/128	382/199; 382/224; 382/266	Yoshida; Hiroyuki et al.
1	US 6075878 A	20000613	Method for determining an optimally weighted wavelet transform based on supervised training for detection	382/132	378/37; 382/248	Yoshida; Hiroyuki et al.

			of microcalcifications in digital mammograms			
1	US 6055724 A	20000502	Method and device for sealing IC chip	29/855	257/E21.502; 257/E21.503; 29/740; 29/832	Nishino; Kenichi et al.
1	US 6051946 A	20000418	Electrical angle detection apparatus, method of detecting electrical angle, and motor control apparatus	318/432	318/700; 318/720	Yamada; Eiji et al.
1	US 6037741 A	20000314	Motor controller and method of controlling motor	318/721	318/432; 318/439	Yamada; Eiji et al.
1	US 6034920 A	20000307	Semiconductor memory device having a back gate voltage controlled delay circuit	365/233.5	365/189.09; 365/207	Sukegawa; Shunichi et al.
1	US 6025692 A	20000215	Motor control apparatus and method of controlling motor	318/721	318/700; 318/720; 318/722	Yamada; Eiji et al.
1	US 6012980 A	20000111	Coordinates detecting device, method for same and game device	463/2	250/221; 434/16; 434/22; 463/5; 463/51	Yoshida; Hiroyuki et al.
1	US 6007263 A	19991228	Device for parallel justification of print head relative to the platen	400/693	400/55	Imai; Kazuhide et al.
1	US 5988307 A	19991123	Power transmission apparatus, four-wheel drive vehicle with power transmission apparatus incorporated therein, method of transmitting power, and method of four-wheel driving	180/243	180/65.3; 903/903; 903/906; 903/910; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/943; 903/947; 903/948;	Yamada; Eiji et al.

					903/951	
1	US 5973460 A	19991026	Power output apparatus and method of controlling the same	318/139	318/138; 318/254; 318/34; 318/439; 903/903; 903/906; 903/916; 903/924; 903/940; 903/941; 903/942; 903/943; 903/948; 903/951	Taga, deceased; Yoshiaki et al.
1	US 5969496 A	19991019	Method of controlling operation of synchronous motor and motor control apparatus for the same	318/715	318/138; 318/254; 318/439; 318/700; 318/720; 318/721; 318/724	Yamada; Eiji et al.
1	US 5952810 A	19990914	Motor control apparatus and method of controlling motor	318/700		Yamada; Eiji et al.
1	US 5942862 A	19990824	Power output apparatus and method of controlling the same	318/9	180/65.3; 318/376; 318/87; 318/98; 477/5; 701/67; 903/903; 903/906; 903/910; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/943; 903/947; 903/948; 903/951	Yamada; Eiji et al.
1	US 5936611	19990810	On-screen displaying apparatus	345/158	345/169; 345/629;	Yoshida; Hiroyuki

	A				715/708; 715/718	
1	US 5936312 A	19990810	Power output apparatus and method of controlling the same	290/40R	290/38R; 290/40A; 290/40B; 290/40F; 290/45; 290/46; 318/34; 318/51; 318/52; 318/8; 318/9; 322/16; 903/903; 903/906; 903/910; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/943; 903/946	Koide; Satoshi et al.
1	US 5920160 A	19990706	Power output apparatus and method of controlling the same	318/9	180/65.2; 180/65.4; 318/50; 318/87; 477/179; 477/8; 903/903; 903/906; 903/910; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/943; 903/947; 903/948; 903/951	Yamada; Eiji et al.
1	US 5916135 A	19990629	Engine exhaust emission control system in outboard	60/302	440/89H; 440/89R	Yoshida; Hiroyuki et al.

			engine system			
1	US 5916132 A	19990629	Engine exhaust emission control system utilizing a catalyst carried in a porous flexible bag	60/295	422/170; 60/302	Yoshida; Hiroyuki et al.
1	US 5909094 A	19990601	Power output apparatus and method of controlling the same	318/140	318/153; 318/432; 477/6; 701/22; 701/67; 903/903; 903/906; 903/910; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/943; 903/947; 903/948; 903/951	Yamada; Eiji et al.
1	US 5908795 A	19990601	Boron nitride containing material	501/96.4	501/100; 501/92; 501/98.6	Nishio; Hiroaki et al.
1	US 5905346 A	19990518	Power output apparatus and method of controlling the same	318/50	180/65.3; 318/146; 318/67; 318/9; 477/13; 477/179; 903/903; 903/906; 903/910; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/943; 903/947; 903/948; 903/951	Yamada; Eiji et al.

1	US 5903113 A	19990511	Power output apparatus and method of controlling the same	318/10	180/65.3; 310/102R; 310/92; 318/287; 318/50; 318/65; 477/179; 903/903; 903/906; 903/910; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/943; 903/947; 903/948; 903/951	Yamada; Eiji et al.
1	US 5903112 A	19990511	Power output apparatus and method of controlling the same	318/10	180/65.3; 318/139; 318/50; 477/179; 903/903; 903/906; 903/910; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/943; 903/947; 903/948; 903/951	Yamada; Eiji et al.
1	US 5895435 A	19990420	Vehicle drive mode estimating device, and vehicle control apparatus, transmission shift control apparatus and vehicle drive force control apparatus including drive mode	701/59	477/120; 477/904; 701/55; 701/57; 701/58; 706/905	Ohta; Takashi et al.

			estimating device			
1	US 5883699 A	19990316	Method and apparatus for preparing photographic processing control tool	355/40	355/77	Kuramitsu; Yasuo et al.
1	US 5873801 A	19990223	Power output apparatus and method of controlling the same	477/5	477/13; 477/8; 60/718; 903/903; 903/906; 903/910; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/943; 903/947; 903/948; 903/951	Taga; Yoshiaki et al.
1	US 5861649 A	19990119	Trench-type semiconductor memory device	257/301	257/305; 257/E21.651; 257/E27.092	Yoshida; Hiroyuki et al.
1	US 5844342 A	19981201	Power output apparatus and method of controlling the same	310/114	310/112; 310/75D; 475/5; 903/903; 903/905; 903/906; 903/909; 903/914; 903/918; 903/924; 903/940; 903/941; 903/942; 903/943; 903/945; 903/946; 903/951	Miyatani; Takao et al.
1	US 5814909 A	19980929	Electric motor having heat radiator at electric connection with inverter	310/64	310/52; 310/68R; 310/71	Yamada; Eiji et al.

1	US 5805160 A	19980908	Diagnostic apparatus having a symptom evaluation processing function to improve cause hypothesis	714/25	706/11; 706/45; 706/911; 706/924	Yoshida; Hiroyuki et al.
1	US 5804934 A	19980908	Power output apparatus and method of controlling the same	318/77	318/34; 318/48; 318/51; 318/52; 318/7; 318/8; 318/9; 60/698; 60/699; 60/700; 903/903; 903/906; 903/910; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/943; 903/947; 903/948; 903/951	Yamada; Eiji et al.
1	US 5804478 A	19980908	Method of forming a trench-type semiconductor memory device	438/243	257/E21.008; 257/E21.651; 438/244; 438/253	Nagata; Toshiyuki et al.
1	US 5799235 A	19980825	Electrophotographic apparatus having an intermediate transfer device and registration controlling methods therefor	399/302	399/308; 399/71	Nakano; Masaru et al.
1	US 5791426 A	19980811	Power output apparatus and method of controlling the same	180/65.2	180/65.4; 903/903; 903/906; 903/916; 903/924; 903/940; 903/941; 903/942;	Yamada; Eiji et al.

					903/943	
1	US 5789877 A	19980804	Power transmitting apparatus and method of controlling the same	318/9	123/205; 123/357; 180/65.1; 318/432; 318/478; 477/5; 60/778; 701/103; 903/903; 903/906; 903/910; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/943; 903/947; 903/948; 903/951	Yamada; Eiji et al.
1	US 5754226 A	19980519	Imaging apparatus for obtaining a high resolution image	348/219.1	348/155; 348/264; 348/340; 348/369	Yamada; Eiji et al.
1	US 5740268 A	19980414	Computer-aided method for image feature analysis and diagnosis in mammography	382/132	382/130; 382/199; 382/266	Nishikawa; Robert M. et al.
1	US 5687688 A	19971118	Vertical engine	123/196W	184/6.18	Tsunoda; Masaki et al.
1	US 5673332 A	19970930	Computer-aided method for image feature analysis and diagnosis in mammography	382/128	382/132; 382/199; 382/260	Nishikawa; Robert M. et al.
1	US 5671779 A	19970930	Exhaust pipe structure in outboard engine system	138/109	123/195P; 440/89B; 440/89R	Koishikawa; Kouji et al.
1	US 5666434 A	19970909	Computer-aided method for image feature analysis and diagnosis in	382/128	382/130; 382/132; 382/199; 382/257;	Nishikawa; Robert M. et al.

			mammography		382/260	
1	US 5657082 A	19970812	Imaging apparatus and method using interpolation processing	348/262	348/264; 348/265; 348/913	Harada; Toshiaki et al.
1	US 5650706 A	19970722	Control device for salient pole type permanent magnet motor	318/701	318/138; 318/254; 318/723; 318/811	Yamada; Eiji et al.
1	US 5641344 A	19970624	Fuel vapor treatment device	96/139	123/519; 96/141; 96/147; 96/149; 96/152	Takahashi; Masafumi et al.
1	US 5633214 A	19970527	Boron nitride-containing material and method thereof	501/96.4	501/103; 501/92	Nishio; Hiroaki et al.
1	US 5625234 A	19970429	Semiconductor memory device with bit line and select line arrangement maintaining parasitic capacitance in equilibrium	257/773	257/776; 365/51; 365/63; 365/69	Suzuki; Yukihide et al.
1	US 5623178 A	19970422	Coil structure for electric motor	310/260	310/71	Kawabata; Yasutomo et al.
1	US 5615156 A	19970325	Semiconductor memory device having plural memory mats with centrally located reserve bit or word lines	365/200	365/190; 365/230.03; 365/230.06; 365/63; 365/69	Yoshida; Hiroyuki et al.
1	US 5608300 A	19970304	Electrical angle-detecting apparatus and driving system of synchronous motor using the same	318/721	318/254	Kawabata; Yasutomo et al.
1	US 5607756 A	19970304	Method of correction of the foot, splint for use in practicing the method, and footwear with the splint	442/6	12/1G; 12/133R; 36/145; 36/166; 36/169; 36/44; 36/91; 428/902; 602/23;	Yamauchi; Kiyoshi et al.

					602/28; 602/5; 602/66; 602/7	
1	US 5605777 A	19970225	Method and apparatus for regenerating image holding member	430/97	399/343; 430/125	Ando; Kazuhiro et al.
1	US 5602578 A	19970211	Color printer with transfer and superposition of different color toner images onto intermediate transcription member	347/232	358/300; 358/501; 399/167; 399/4	Sumiyoshi; Michio et al.
1	US 5599384 A	19970204	Fuel vapor treatment device	96/143	123/519; 95/146; 96/147; 96/152	Yoshida; Hiroyuki et al.
1	US 5598481 A	19970128	Computer-aided method for image feature analysis and diagnosis in mammography	382/130	128/925; 382/132	Nishikawa; Robert M. et al.
1	US 5569995 A	19961029	Method and apparatus for driving and controlling synchronous motor using permanent magnets as its field system	318/717	318/721	Kusaka; Yasushi et al.
1	US 5563433 A	19961008	French-type semiconductor memory device with enhanced trench capacitor-transistor connection	257/301	257/303; 257/382; 257/E21.008; 257/E21.651	Nagata; Toshiyuki et al.
1	US 5532929 A	19960702	Apparatus for controlling vehicle driving power	701/110	123/361; 706/905	Hattori; Tatsuya et al.
1	US 5517369 A	19960514	Multi-track magnetic signal reproducing apparatus	360/65	360/46	Takeuchi; Hitoshi et al.
1	US 5501621 A	19960326	Outboard engine structure	440/52	440/88L; 440/88R	Shigedomi; Hideo et al.

1	US 5493384 A	19960220	Color electro- photographic apparatus with endless-belt-shaped photosensitive member	399/225	399/299; 399/301	Matsuno; Junichi et al.
1	US 5488636 A	19960130	Digital data detector	375/340	327/91; 341/122; 375/371	Yamada; Eiji et al.
1	US 5477825 A	19951226	Driving power control apparatus for vehicle	123/399		Hattori; Tatsuya et al.
1	US 5470778 A	19951128	Method of manufacturing a semiconductor device	438/246	257/E27.092; 438/244; 438/387; 438/389	Nagata; Toshiyuki et al.
1	US 5470777 A	19951128	Method of fabricating random access memory device having sidewall insulating layer on the laminate structure	438/241	257/E21.575; 257/E21.651; 257/E21.654; 257/E27.092; 438/244	Nagata; Toshiyuki et al.
1	US 5454358 A	19951003	Driving power control apparatus for internal combustion engine	123/399		Hattori; Tatsuya et al.
1	US 5436372 A	19950725	Solid state displacement elements	564/291	546/326; 562/433; 562/434; 562/512; 562/574; 564/305; 564/32; 564/441; 564/463; 564/502; 564/63; 568/382; 568/852	Yoshida; Hiroyuki et al.
1	US 5414719 A	19950509	Operating circuit for galois field	714/785	708/492	Iwaki; Tetsuo et al.
1	US 5317177 A	19940531	Semiconductor device and method of manufacturing the same	257/301	257/305; 257/532; 257/535; 257/E27.092	Nagata; Toshiyuki et al.

1	US 5282004 A	19940125	Electrophotographic apparatus and method for preventing attraction of copy sheet to photoreceptor	399/390		Matsuno; Junichi et al.
1	US 5267346 A	19931130	Combination problem solving apparatus	706/62	706/45; 706/46	Maruyama; Fumihito et al.
1	US 5240898 A	19930831	Heat sensitive recording material	503/209	503/214; 503/216; 503/217; 503/218	Yoshida; Hiroyuki et al.
1	US 5240302 A	19930831	Seat supporting device for a foldable seat	296/65.09	297/15	Yoshida; Hiroyuki et al.
1	US 5231457 A	19930727	Method and apparatus for preventing attraction of a work sheet to a toner image forming surface	399/312	399/388; 399/395	Nakano; Masaru et al.
1	US 5220264 A	19930615	Control system for an AC servomotor having a permanent magnet type	318/599	318/609; 318/717; 318/721; 318/811	Yamada; Eiji
1	US 5165468 A	19921124	Oil cooler for automatic transmission	165/47	165/167; 165/916; 184/104.1; 60/912; 74/606A	Tajima; Makoto et al.
1	US 5130753 A	19920714	Electrophotographic copying apparatus	399/322	399/338	Nakano; Masaru et al.
1	US 5111516 A	19920505	Apparatus for visual recognition	382/156	382/203	Nakano; Masaru et al.
1	US 5099912 A	19920331	Housingless oil cooler	165/133	165/134.1; 165/167; 165/916	Tajima; Makoto et al.
1	US 5056031 A	19911008	Apparatus for detecting the collision of moving objects	701/301	700/178; 700/255	Nakano; Masaru et al.
1	US 5033272 A	19910723	Freezer-refrigerator	62/199	165/133; 62/157; 62/208; 62/272	Yoshikawa; Masaharu et al.
1	US	19910409	Real-time robot	700/253	219/124.34;	Kuno;

	5006999 A		control system tracking based on a standard path		700/259	Toshitaka et al.
1	US 4982342 A	19910101	Image processor system having multifunction look-up table units	382/307		Moribe; Hiroshi et al.
1	US 4982240 A	19910101	Cleaning device	399/358	399/350	Nakano; Masaru
1	US 4967127 A	19901030	Robot with controlled tool tracking displacement	318/571	318/570; 318/578; 700/161	Ishiguro; Yasuo et al.
1	US 4937271 A	19900626	Process for post- treating pre-expanded polyolefin resin particles	521/58	521/60; 521/918; 521/98	Akamatsu; Naruhiko et al.
1	US 4891952 A	19900109	Freezer-refrigerator	62/199	62/157; 62/180; 62/272	Yoshikawa; Masaharu et al.
1	US 4880703 A	19891114	Acicular electroconductive titanium oxide and process for producing same	428/378	106/436; 106/437; 106/441; 252/520.1; 427/215; 428/364; 428/375; 428/379; 428/397; 428/401; 428/403; 428/404	Sakamoto; Masashi et al.
1	US 4845399 A	19890704	Laminated piezoelectric transducer	310/366	310/328; 310/363; 310/365; 310/369	Yasuda; Eturo et al.
1	US 4836742 A	19890606	System for controlling a robot in association with a rotary table	414/742	414/730; 700/247; 700/252; 901/15; 901/4; 901/6	Ishiguro; Yasuo et al.
1	US 4831316 A	19890516	Control system for an industrial robot with a foresight function	700/254	318/573; 382/153; 901/46; 901/47	Ishiguro; Yasuo et al.
1	US	19890307	Process for pre-	264/53	264/DIG.13;	Yoshida;

	4810440 A		expanding thermoplastic resin particles		264/DIG.5; 264/DIG.9; 521/56	Hiroyuki et al.
1	US 4579194 A	19860401	Muffler with catalyst for internal combustion engine	181/231	181/256; 181/262; 181/265; 181/272; 422/176; 60/299	Shiki; Akira et al.
1	US 4387862 A	19830614	Seat belt retractor	242/385	280/807; 297/475	Sakurada; Kenichi et al.
1	US 4300992 A	19811117	Activated cathode	204/242	204/290.12; 204/290.13; 204/290.14; 204/291; 205/501; 205/503	Yoshida; Hiroyuki et al.
1	US 4271353 A	19810602	X-ray spectroscope	378/83	378/70	Ohtsuki; Nobuo et al.
1	US 4128606 A	19781205	Impact-resistant chemically blended propylene polymer composition and process for preparation thereof	525/247	525/268; 525/322; 525/324	Furutachi; Kunio et al.
1	US 4076734 A	19780228	Process for preparing dinitroanthraquinones	552/254		Yamada; Eiji et al.
1	US 4055624 A	19771025	Process for removing nitrogen oxides from gaseous mixtures	423/235	423/351	Yoshida; Hiroyuki et al.
1	US 4045454 A	19770830	Production of 1- nitroanthraquinone and 1- aminoanthraquinone	552/238	552/253	Yamada; Eiji et al.
1	US 4041051 A	19770809	Anthraquinone disperse dyestuffs	552/240	552/261; 8/675; 8/922	Yamada; Eiji et al.
1	US 3980678 A	19760914	Anthraquinone disperse dyes	552/242	8/678; 8/922; 8/933	Yamada; Eiji et al.
1	US 3929842 A	19751230	Anthraquinone disperse dyes	552/242	552/221; 552/226; 552/229;	Yamada; Eiji et al.

					552/231; 552/262; 8/678; 8/922	
1	US 3856478 A	19741224	Fe-Mo-C-[Cr] SINTERED ALLOYS FOR VALVE SEATS	428/472	29/888.44; 75/243; 75/246	Iwata; Tokushige et al.
1	US 3722729 A	19730327	BOTTLE CAP STRUCTURE AND METHOD FOR MAKING THE SAME	215/254	215/320	Yamada; Eiji